BOROUGH OF CHIPPENHAM URBAN DISTRICT COUNCIL.

Medical Officer of Health's Annual Report and Tabular Statistics for 1907.

Table	1.	Bi	RTHS A	ND DE	ATHS.			
		Bir	ths.	Deaths un	der 1 year old.		Total D	eaths.
YEAR.	Population.	No.	Rate per 1,000 of Population.	No.	Rate per 1, of Births	000	Vo.	Rate per 1,000 of Population.
1897	4618	137	29.6	6	1.29	4	15	9.7
1898	,,	130	28.1	15	3.24	1 6	30	12.99
1899		139	30.0	16	3.46	7	75	16.2
1900	"	108	23.3	11	2.38	1 6	33	13.64
1901	5074	122	24.2	- 9	1.7	1 6	36	13.0
1902		129	25.4	14	2.7	_	72	14.1
	"	130	25.6	10	$-\tilde{1}\cdot\hat{9}$		32	12.2
1903	"	131	25.8	8	1.5		55	10.8
1904	"	117			1.18		11	8.08
1905	"	128	$oxed{23.05} 25.22$	$\frac{6}{9}$	1.77	4T-1	71	13.99
1906								
Average of	foregoing	127·1	25.7	10.4	1.6		51	12:0
1907	5074	116	22.86	14	2.7		75	14.75
Rural D Hospital The above n Hospital Maki	t be added the postrict, viz.: in 7 umber of death of whom 1 did ing the Total of Inhabited E. Number of Personal properties of Personal post in the properties of Personal post in the po	s 75 inclinot below Figures a louses in	ude 6 cases ong to the Borattributable of Borough—19	se and at the f death at the cough to the Dis	he Isolation the Cottage trict	8		15·96 nated at 1265
	2 does not			penhar				
Table 3	3.	INF	ECTIOUS	S DISE	ASES.			
					No.	Iso	nt to lation	
						77		
	201 1 (1				10	Ho	spital.	
	Diphtheria	•••	•••		12	Ho	5	
	Erysipelas	•••	•••	•	5		5	
	Erysipelas Scarlet Fever	•••			5 14		5	
	Erysipelas	•••	•••		5		5	
	Erysipelas Scarlet Fever	•••	•••		5 14		5	
Table 4	Erysipelas Scarlet Fever Puerperal Fev	 er	•••		5 14 2 33		5 11 	
	Erysipelas Scarlet Fever Puerperal Fev	 er	Totals OF, AND	AGES	5 14 2 33 AT, D	EATH	5 11 16	los
	Erysipelas Scarlet Fever Puerperal Fev 4. CAU	er JSES Total	Totals OF, AND		5 14 2 33 AT, D	EATH	5 11 	65 er above
C. Ieasles	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE.	er JSES Total No.	Totals OF, AND	AGES	5 14 2 33 AT, D	EATH	5 11 16	65 er above
Casles Diphtheria of	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE.	er JSES Total No. 1	Totals OF, AND Under 1.	AGES	5 14 2 33 AT, D Ages 5 to 15.	EATH	5 11 16 28 to 68.	
Casles Diphtheria of	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE.	er JSES Total No. 1 IS	Totals OF, AND Under 1.	AGES	5 14 2 33 AT, D Ages 5 to 15.	EATH	5 11 16 28 to 68.	
Ieasles Diphtheria or Croup Diarrhœa	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE.	or DSES Total No. 1 is 1 1	Totals OF, AND Under 1.	AGES	5 14 2 33 AT, D Ages 5 to 15.	EATH	5 111 116 25 to 65	•••
feasles Diphtheria of Croup Diarrhœa Phthisis	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. r Membraneou	Total No. 1 1 1 3	Totals OF, AND Under 1.	1 to 5.	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5 11 16 25 to 65	•••
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. Membraneou	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1 1	1 to 5.	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. r Membraneou cular Diseases	Total No. 1 1 1 3 1 5	Totals OF, AND Under 1. 1	1 to 5.	5 14 2 33 AT, D Ages 5 to 15 1	EATH . 15 to 25	5 11 16 25 to 65 3 2	
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. r Membraneou cular Diseases	Total No. 1 1 1 3 1 1 5 4	Totals OF, AND Under 1. 1	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH . 15 to 25	5	
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc Bronchitis Other Disease	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. r Membraneou cular Diseases	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1. 1	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5 11 16 25 to 65 3 2	 3 2
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberce Gronchitis Other Disease Organs	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. r Membraneou cular Diseases es of Respiratou	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1. 1 1	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5 11 16 25 to 65 3 2	
Ieasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc Gronchitis Other Diseas Organs Premature Bi	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. T Membraneou Gular Diseases es of Respirator irth	Total No. 1 ss 1 3 1 4 4 4 1 2	Totals OF, AND Under 1. 1 1	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5	
Ieasles biphtheria of Croup biarrhea bhthisis ther Tuberc ancer cronchitis bther Disease Organs remature Bi	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. T Membraneou Cular Diseases es of Respirator irth	Total No. 1	Totals OF, AND Under 1. 1 1	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5	 3 2
Ieasles biphtheria of Croup biarrhea ththisis ther Tuberc ancer cronchitis bther Disease Organs remature Bi Ieart Disease accidents (di	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. T Membraneou Cular Diseases es of Respirator irth	Total No. 1	Totals OF, AND Under 1. 1 1 2	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5	
Ieasles biphtheria of Croup biarrhea bhthisis ther Tuberc ancer cronchitis bther Disease Organs remature Bi	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. r Membraneou cular Diseases es of Respirator irth e ied at Cottag	Total No. 1	Totals OF, AND Under 1. 1 1 2	1 to 5. 1 1	5 14 2 33 AT, D Ages 5 to 15 1	15 to 25.	5	
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberce Bancer Fronchitis Organs Organs Premature Bi Heart Disease Accidents (di Hospital)	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. T Membraneou Fullar Diseases Fullar Diseases Fullar Cottag Ses (5 at Cottag Ses (5 at Cottag Ses (5 at Cottag Ses (5 at Cottag	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1. 1 2	1 to 5. 1 1 1	5 14 2 33 AT, D Ages 5 to 15.	EATH	5 11 16 2δ to 6δ 3 2 1 4	 3 2 1 8
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberc Cancer Bronchitis Organs Premature Bi Heart Disease Accidents (di Hospital)	Erysipelas Scarlet Fever Puerperal Fev 4. CAL AUSE. T Membraneou Cular Diseases es of Respirator irth es ses (5 at Cottag ses (5 at Cottag cular Ses (5 at Cottag cu	Total No. 1 ss 1 1 1 3 4 y 1 1 2 1 2 ge 1 1 2 ge 1 4 9	Totals OF, AND Under 1. 1 2 10	1 to 5. 1 1 1 1 1 1 1 1 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23
Jeasles Diphtheria of Croup Diarrhea Phthisis Other Tuberc Cancer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. T Membraneou cular Diseases cular Diseases irth e ied at Cottag ses (5 at Cottag Total	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1. 1 2 10 14	1 to 5. 1 1 1 1 1 3	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberc Cancer Bronchitis Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital)	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. The Membraneous services of Respirators arthur services (5 at Cottages) Total 5. INFA	Total No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Totals OF, AND Under 1. 1 2 10 14 E MORTA	1 to 5. 1 1 1 1 1 3 LITY D	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23
Measles Diphtheria of Croup Diarrhea Phthisis Other Tuberc Cancer Bronchitis Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital) Table Diarrhea I	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. The Membraneous ses of Respirators ses of Respirators ses (5 at Cottages	Total No. 1 Iss 1 1 1 1 1 1 2 1 2 1 2 3 1 1 2 3 1 1 1 1	Totals OF, AND Under 1. 1 2 10 14	1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23
Measles Diphtheria of Croup Diarrhea Phthisis Other Tuberc Cancer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital)	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. The Membraneous ses of Respirators ses of Respirators ses (5 at Cottages	Total No. 1 Iss 1 1 1 1 2 1 2 1 2 1 2 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA	1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	
Jeasles Diphtheria of Croup Diarrhœa Phthisis Other Tuberc Cancer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital) Table Diarrhœa	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. The Membraneous ses of Respirators ses of Respirators ses (5 at Cottages	Total No. 1 Iss 1 1 1 1 2 1 2 1 2 3 4 9 8 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 win 2nd we in 2nd we in 4th	1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23 38 1907.
Jeasles Diphtheria of Croup Diarrhea Phthisis Other Tuberce Cancer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital) Table Diarrhea I	Erysipelas Scarlet Fever Puerperal Fev 4. CAU AUSE. The Membraneous ses of Respirators ses of Respirators ses (5 at Cottages	Total No. 1 Iss 1 1 1 1 2 1 2 1 2 3 1 1 2 3 1 1 1 1 1 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 we in 2nd w	AGES 1 to 5. 1 1 1 1 1 1 1 1 1 1 2 1 1 2 4 5 1 6 1 1 1 2 3 Conth ceek	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	3 2 1 8 1 23 38 1907.
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberconcer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital) Table Diarrhea I Wasting D	Erysipelas Scarlet Fever Puerperal Fever Puerperal Fever 4. CAU AUSE. The Membraneous services of Respirators services (5 at Cottagens) Total 5. INFA Diseases, 1 viz. iseases, 8	Total No. 1 Iss 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 w in 2nd we in 4th wee in 4th wee in 2nd moin 2nd m	AGES 1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	 3 2 1 8 1 23 38 1907.
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberconcer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other cause Hospital) Table Diarrhea I Wasting D	Erysipelas Scarlet Fever Puerperal Fever Puerperal Fever 4. CAU AUSE. The Membraneous ses of Respirators of	Total No. 1 Iss 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 w in 2nd we in 4th wee in 2nd mo in 9th mo in 9th mo	1 to 5. 1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	3 2 1 8 1 23 38 1907.
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberconcer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other caus Hospital) Table Diarrhea I Wasting D	Erysipelas Scarlet Fever Puerperal Fever Puerperal Fever 4. CAU AUSE. The Membraneous ses of Respirators of	Total No. 1 Is 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 w in 2nd we in 4th wee in 2nd mo in 9th mo in 6th moi 6th mo	1 to 5. 1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	3 2 1 8 1 23 38 1907.
Ieasles Diphtheria of Croup Diarrhea Phthisis Other Tuberconcer Bronchitis Other Disease Organs Premature Bi Heart Disease Accidents (di Hospital) All other cause Hospital) Table Diarrhea I Wasting D	Erysipelas Scarlet Fever Puerperal Fever Puerperal Fever 4. CAU AUSE. The Membraneous ses of Respirators of	Total No. 1 Iss 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	Totals OF, AND Under 1. 1 1 1 1 1 1 2 10 14 E MORTA th in 3rd mounder 1 w in 2nd we in 4th wee in 2nd mo in 9th mo in 6th mon in 6th mon in 7th mo	AGES 1 to 5. 1	5 14 2 33 AT, D Ages 5 to 15 1	EATH	5	3 2 1 8 1 23 38 1907.

BOROUGH OF CHIPPENHAM.

Medical Officer's Annual Report for 1907.

GENTLEMEN,

The Tables I have just read to you are so complete in the information they give that little is left for me to discourse upon. In Table iii, cases notified, the patients resided in different parts of the Town, locality did not seem to influence disease in any instance.

Through the Town runs a bend of the River Avon, entering at the South East looping round on the North, and passing out at the South, the Eastern half of the river bend is at a higher level than the Western half, being kept up 6 or 8 feet by a Mill and Weir by the Town Bridge.

Most of the new houses have been erected on the North side of the River. Into the Southern portion of the Town runs a branch of the Wilts and Berks Canal at a higher level than the River, and not communicating with it, the Canal is now little used. The Town lies in a valley, having higher ground on every side, still, the Town almost everywhere stands well above the river level and has well marked regular slopes towards each part of the stream.

The soil of the Town is corn brash. To the South East and West of the Town this corn brash is covered in many parts with a considerable depth by Oxford clay.

INDUSTRIES—The principal Industries are, in the Southern portion a large Milk Factory, a Cloth Factory; and in the Northern portion a large Iron Works, Bacon Curing Co., and a smaller Iron Works. None of these works or occupations influence the public health.

The increased population within the past ten years has demanded an increase in house accommodation, private enterprise has resulted in the building of a large number of new houses, and this has been supplemented by a private company who built a large number of good class artizan dwellings just without the Urban District; these new Streets are all 36 feet wide.

The Urban houses are inspected by your Surveyor before occupation. The plans being submitted to you before erection. There is now little difficulty for a family to obtain a sufficiently large house provided they can pay the rent.

Sewerage Works—These Works have now been in use for 18 months they are giving satisfaction, a good effluent being obtained. During the summer complaints were made as to the smell from the liquifying tank, this has been remedied by reducing the time the sewage is kept in this tank. Instructions have been given to the Borough Surveyor to prepare a plan for providing new sewers to replace existing drock drains and other old sewers, when this is completed it is the intention of the Council to execute this plan in sections so that all future work will be done in a systematic manner. During this year sections of new sewers have been laid in Timber Street, High Street, Market Place, London Road and Blind Lane.

All the Courts and Squares except one are paved with impervious material, great attention has been given during the year to the trapping of gullies in the Courts and Squares.

Scavenging—Great difficulty has been experienced this year in disposing of the town refuse removed by the Town Scavengers. The Rural District Council complained of its being deposited in situations where it became a nuisance. A fresh arrangement has been now made by you with a farmer who deals with it in such a manner that it is not a nuisance, for which he is paid. The whole of your district has the same water supply, viz.: from a well the property of your Council, the quality of the water is undeniable, as proved by the various analyses you have had made from time to time, an analysis was made this year.

Inspections have been made of the Lodging Houses, Slaughter Houses (including 3 inspections of the Bacon Factory) Bake Houses, Dairies and Cowsheds, Milkshops, Factories and Workshops. I append the Report I have sent to the Home Office, as to the conditions of the Factories within your district. There are no offensive trades carried on in Chippenham.

The Public Elementary Schools have been inspected, the Sanitary condition and Water Supply of the Schools was found to be satisfactory. During the last year I have attended your Committee Meetings and reported the Zymotic cases notified during the preceding month. A systematic inspection of the district was made and all the courts were visited. Special inspections were also made at the homes or districts where epidemic disease was present or had been present, and as a result several unhealthy conditions were removed. Printed instructions for disinfection were distributed at every house where infectious disease was present, and on the removal of the patient to the Isolation Hospital, or the recovery of the patient, the rooms were fumigated by your Surveyor.

THE ISOLATION HOSPITAL—This Hospital was in use most months of the year, during July and part of August it was closed, the interval was utilised for a general clean up, thorough disinfection and the carrying out of some necessary repairs.

In November I reported to the Joint Committee that the wards for the treatment of Diphtheria were not at all times sufficiently large for the number of patients seeking admission, steps are now being taken to improve and increase the accommodation. 51 patients have been admitted during the year, of these 16 came from the Urban District—11 cases of Scarlatina, 5 of Diphtheria; 35 cases from the Rural District—Scarlatina 24, Diphtheria 9, Enteric Fever 2. Nurse Warren is still acting as Matron, she continues to enjoy the entire confidence of those working for and with her. I wish to take this opportunity of thanking those who kindly sent toys, books, illustrated papers and children's clothes to the Hospital, all are much appreciated, children's clothes are most useful, the Matron is often sadly perplexed to find warm garments for the little ones when they are about to leave this warm ward for their draughty cottage home.

These, Gentlemen, are some of the more important sanitary matters which have engaged your attention and the attention of your officers during the past year. I have to thank Mr. Adams for his ready aid and prompt action in dealing with many small matters which did not come before you.

I have the honour to remain,

Your obedient Servant,

W. T. BRISCOE, B.A., M.D.

